Customer No.: 31561

Docket No.: 11987-US-PA

Application No.: 10/708,212

## REMRARK

Claims 1-3 and 8 are still pending because they were rejected on the grounds of lacking novelty. Applicant respectfully traverses the examiner's preceding rejection and the required election/restriction based on the following arguments. Applicant respectfully submits that claims 1-3 and 8 patently define over prior art of record and reconsideration of this application is respectfully requested.

## Arguments on election/restriction

1. Withdrawal of restriction is not warranty because a technique to vary "duty cycle" is different to a technique vary "frequency" of a control pulse signal even though both techniques would provide to a similar result.

Applicant respectfully requests the Examiner can reconsider the withdrawal of the election based on the following arguments. As explained by the examiner, a change of duty cycle of a signal that can be generated either with or without a change of frequency and /or phase. In other words, duty cycle, frequency and phase may vary independently. However, in some situations, from the definition of duty cycle, i.e. Ton/( Ton+Toff), if (Ton+Toff), which represents a cycle time or a frequency (an inversion of the cycle time), is changed, duty cycle is changed accordingly. Thus, in fact, there does exist a high correlation between duty cycle and frequency, which renders Group I and II not to be regarded separate inventions, and the re-consideration of withdrawing the election/restriction is respectfully requested.

AUG-09-2006 WED 13:30

FAX NO. P. 04/07

Customer No.: 31561
Docket No.: 11987-US-PA

Application No.: 10/708,212

Discussion for rejection to claims under 35U.S.C. 112

3. Claims 1-3 and 8 are rejected under 35 U.S.C. 112, 1st paragraph, as failing to

comply with enablement requirement.

4. Claim 1, recitation of "a duty cycle of the illumination control signal varies with

time within e predetermined range" is not fully described in the specification.

6. Claim 8, recitation of "a phase shift, frequency and duty cycle of the

illumination control signal varies with time within e predetermined range" is not fully

described in the specification.

In response thereto, applicant respectfully traverses the preceding examiner's

rejections to the claims 1 and 8 based on the following arguments.

From the circuit as shown in Fig.4 and its corresponding description paragraph

[0029], in lines 4-6 and 9-14, there disclose "the noise generator 410 further comprises

a resistor 411 and an amplifier 421 electrically connected together" and "The noise

signal Nos is transmitted to the analogue adder circuit 420 such that the noise signal

Nos and an illumination-adjusting signal Ref originally set to control the output duty

cycle of the DC voltage are summed together to produce a noise signal loaded

illumination-adjusting signal Ref. In addition, as the thermal noise produced by the

resistor 411 has random voltage amplitudes that vary with time, voltage amplitudes of

the noise signal Nos vary with time (emphasis added)" Hence, due to the introduction of

the resistor 411 and its random voltage varying with time, the circuit shown in Fig.4 is

capable of generating an illumination control signal with its duty cycle varying with

3

-AUG-09-2006 WED 13:30

FAX NO.

P. 05/07

Customer No.: 31561 Docket No.: 11987-US-PA

Application No.: 10/708,212

time because the illumination control signal is generated through the summation of the

Nos and the illumination-adjusting signal Ref.

Accordingly, the claim 1, recitation of "a duty cycle of the illumination control

signal varies with time within e predetermined range" is fully described in the

specification. That is, claims 1-3 do comply with enablement requirement for

patentability.

As to the Examiner's questing claim 8 is not support in the specification, Fig. 8 and

its corresponding description paragraphs [0036] and [0037] are capable of supporting

the claim 8. From these two paragraphs, each cycle of pulse signal has ON-time and

OFF-time. Meanwhile, ON1=ON2=ON3,..=ONn, but, OFF1≠OFF2≠OFF3≠,...≠OFFn

because of the different phase shifts. More, the frequency of each pulse is turning on

time plus turning off time. As the off time is different in each pulse, the frequency of

each adjacent pulses  $(1/T1 \neq 1/T2 \neq 1/T3 \neq ... \neq 1/Tn)$  is varied. Furthermore, the duty cycle

is defined as duty cycle=(Ton)/(Ton+Toff), so the duty cycle of each adjacent pulses is

varied. Therefore, the claim 8 is supported in the specification.

Discussion for rejection to claims under 35 U.S.C.102(e)

8. Claims 1 and 8 are rejected under 35 U.S.C. 102(e) as being anticipated by Xu et

al. (U.S.Pub. 2003/0085749), hereinafter referred to Xu.

In response thereto, applicant respectfully traverses the preceding examiner's

rejections to the claims 1 and 8 based on the following arguments.

4

-AUG-09-2006 WED 13:30 FAX NO.

P. 06/07

Customer No.: 31561
Docket No.: 11987-US-PA
Application No.: 10/708,212

Application 140.. 10/708,212

To establish a prima facie case of anticipation, the cited reference (i.e. Xu) should

teach, suggest or disclose all limitations of the claims 1 and 8. In Fig.7, in Xu, the

examiner alleged marked A functions as an illumination adjusting signal as claimed in

the claims 1 and 8. Actually, the preceding Examiner's allegation is incorrect because

the marked A is a feedback signal of LED and used to stabilize its brightness. By

contrast, in the present application, illumination adjusting signal is used to dim the light

so that the marked A is not identical to "illumination adjusting signal," as claimed in the

claims 1 and 8.

Further, the examiner alleged marked B functions as an illumination control signal.

However, in terms of Xu, from paragraph [0031], the illumination control signal of the

present invention corresponds to low frequency PWM switching signal, i.e. one input of

AND-gate 42 in Fig.9. The present invention features the processing of the low

frequency PWM switching signal so that it is able to vary with time within a

predetermined range to improve visual noise. In contrast, in Xu, no such technique is

disclosed and the low frequency PWM switching signal has a fixed duty cycle. Thus,

Xu fails to teach, suggest or disclose "an illumination control pulse-generating unit's

receiving an illumination adjusting signal" and "a duty cycle (phase shift and frequency)

of the illumination control pulse signal varies within a predetermined range," as claimed

in the claim 1( claim 8). In other words, the claims 1 and 8 are not anticipated by Xu

and thus patentable.

5

Customer No.: 31561 Docket No.: 11987-US-PA Application No.: 10/708,212

## CONCLUSION

For at least the foregoing reasons, it is believed that all the pending claims 1-3 and 8 of the invention patently define over the prior art and are in proper condition for allowance. Reconsideration of claims 1-3 and 8 and the present application is respectfully requested. If the Examiner believes that a telephone conference would expedite the examination of the above-identified patent application, the Examiner is invited to call the undersigned.

Date:

Respectfully submitted,

Ding Yu Tan

Registration No.: 58,812

Jianq Chyun Intellectual Property Office 7<sup>th</sup> Floor-1, No. 100 Roosevelt Road, Section 2 Taipei, 100 Taiwan

Tel: 011-886-2-2369-2800 Fax: 011-886-2-2369-7233 Email: <u>Usa@jcipgroup.com.tw</u>